

Hepatitis means 'inflammation of the liver', and can be caused by many things – viruses, alcohol, certain drugs, fatty liver, or autoimmune disease. Viral hepatitis is the most common cause of liver inflammation (including hep B or C).

Viral hepatitis causes cells of the liver to be damaged – over time, inflammation can cause scarring of the liver, and in the long term liver cancer.

- Hepatitis C can be transmitted when the blood of a person living with hep C enters the bloodstream of another person. In Australia, most hepatitis C is transmitted through sharing injecting equipment, or unsterile tattooing and piercing.
- Hepatitis B can be transmitted (passed from one person to another) when
 the blood, semen or vaginal fluids of a person living with hepatitis B enters
 the bloodstream of another person. It can also be transmitted from a
 mother who has hepatitis B to her baby during birth. In Australia,
 hepatitis B is usually transmitted through unprotected sex, sharing
 injecting equipment, or from mother to baby at birth.
- Sharing personal items that might have blood on them can put you at risk
 of contracting hepatitis B or hepatitis C. These items might be injecting
 equipment, shaving equipment and toothbrushes.
- Hepatitis B and hepatitis C cannot be transmitted through: touching; shaking hands; hugging; kissing; sharing cups, plates and utensils; coughing and sneezing; mosquitoes; sharing toilets.

There are plenty of people who you can talk to about hepatitis B and hepatitis C. Sometimes it can be helpful talking to family or friends, if you feel confused or upset.

Health workers, counsellors, youth workers and other professionals will be able to help you find specialist information if they don't know the information themselves. Here are some ideas of places to go and people to talk to if you've got more questions or need some help:

- LiverLine 1800 703 003 or visit liverwell.org.au
- Your local GP
- Directline confidential alcohol and drug counselling and referral 1800
 888 236
- The Better Health Channel www.betterhealth.vic.gov.au



CARD 1 Hepatitis can be prevented!

| В | I | N | G | 0 |
|------------------------|---------------------|-------------------|-------------------|-------------|
| Testing | Treatment | Blood Test | Symptoms | Toothbrush |
| Injecting Equipment | Inflammation | Tattooing | Confidential | Risk |
| Cure | Liver | LiverWELL | Sex | Condom |
| Doctor | Cirrhosis | Alcohol | Cancer | Hepatitis C |
| Hepatitis B | Family & Friends | Mother to Baby | Blood to Blood | Stigma |



CARD 2 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------------|---------------------|------------------------|-----------|--------------|
| Treatment | Education | Injecting Equipment | Tattooing | Risk |
| Liver | Sex | Stigma | Cancer | Hepatitis B |
| Mother to Baby | Chronic | LiverWELL | Safe | Confidential |
| Support | Family & Friends | Vaccination | Testing | Blood Test |
| Blood to Blood | Hepatitis C | Prevention | Symptoms | Condom |



CARD 3 Hepatitis can be prevented!

| В | I | N | G | 0 |
|------------|--------------|---------------------|-------------------|-------------------|
| Education | Prevention | Family & Friends | Vaccination | Support |
| Monitoring | Confidential | Ask for Help | Safe | Risk |
| Kissing | Chronic | LiverWELL | Blood to Blood | Mother to Baby |
| Cure | Hepatitis B | Hepatitis C | Cancer | Alcohol |
| Cirrhosis | Condom | Sex | Doctor | Liver |



CARD 4 Hepatitis can be prevented!

| В | I | N | G | 0 |
|---------------------|-------------|--------------|------------------------|-------------------|
| Testing | Blood Test | Toothbrush | Inflammation | Sharing Food |
| Cure | Doctor | Condom | Alcohol | Prevention |
| Vaccination | Cancer | LiverWELL | Hepatitis B | Mother to Baby |
| Chronic | Safe | Confidential | Support | LiverLine |
| Family & Friends | Hepatitis C | Treatment | Injecting Equipment | Blood to Blood |



CARD 5 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------------|---------------------|--------------|-------------|------------------------|
| LiverLine | Doctor | Sex | Condom | Cirrhosis |
| Alcohol | Cancer | Hepatitis C | Hepatitis B | Cure |
| Mother to Baby | Blood to Blood | LiverWELL | Chronic | Kissing |
| Safe | Ask for Help | Confidential | Monitoring | Support |
| Vaccination | Family & Friends | Prevention | Education | Injecting Equipment |



CARD 6 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-----------|--------------|------------------------|-------------------|-------------------|
| Safe | Kissing | Injecting Equipment | Blood to Blood | Mother to Baby |
| Cure | Hepatitis B | Hepatitis C | Cancer | Stigma |
| Cirrhosis | Condom | LiverWELL | Sex | Doctor |
| Liver | Testing | Treatment | LiverLine | Vaccination |
| Tattooing | Confidential | Monitoring | Prevention | Chronic |



CARD 7 Hepatitis can be prevented!

| В | I | N | G | 0 |
|------------|------------------------|---------------------|--------------|-------------------|
| Alcohol | Cancer | Cure | Prevention | Testing |
| Symptoms | Vaccination | Family & Friends | LiverLine | Risk |
| Treatment | Chronic | LiverWELL | Liver | Condom |
| Sex | Blood Test | Confidential | Ask for Help | Blood to Blood |
| Monitoring | Injecting Equipment | Doctor | Stigma | Education |



CARD 8 Hepatitis can be prevented!

| В | I | N | G | 0 |
|------------|-------------------|---------------------|--------------|-----------|
| Cancer | Mother to Baby | Hepatitis C | Tattooing | Cure |
| Symptoms | Inflammation | Toothbrush | Kissing | Sex |
| Condoms | Blood to Blood | LiverWELL | Ask for Help | Doctor |
| Prevention | Education | Chronic | Testing | Treatment |
| Blood Test | Monitoring | Family & Friends | LiverLine | Liver |



CARD 9 Hepatitis can be prevented!

| В | I | N | G | 0 |
|------------|------------|-------------------|------------------------|--------------|
| Risk | Cure | Vaccination | Blood to Blood | Testing |
| Support | Prevention | Education | Monitoring | Confidential |
| Doctor | Symptoms | LiverWELL | Injecting Equipment | Sex |
| Condom | Tattooing | Alcohol | Cirrhosis | Hepatitis C |
| Toothbrush | Cancer | Blood to Blood | Safe | Ask for Help |



CARD 10 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------------|--------------|-------------------|-------------|---------------------|
| Doctor | Cancer | Confidential | Vaccination | Sharing Food |
| Testing | Inflammation | Risk | Kissing | Support |
| LiverLine | Education | LiverWELL | Blood Test | Hepatitis C |
| Liver | Sex | Mother to Baby | Tattooing | Cure |
| Blood to Blood | Monitoring | Prevention | Chronic | Family & Friends |



CARD 11 Hepatitis can be prevented!

| В | | N | G | 0 |
|--------------|------------|---------------------|------------------------|-------------|
| Education | Treatment | Blood to Blood | Injecting Equipment | Risk |
| Sex | Condoms | Doctor | Cancer | Chronic |
| Liver | Testing | LiverWELL | Alcohol | Hepatitis C |
| Tattooing | Monitoring | Family & Friends | Vaccination | Support |
| Confidential | Prevention | Blood Test | Symptoms | Cirrhosis |



CARD 12 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------|--------------|------------|---------------------|------------------------|
| Hepatitis C | Hepatitis B | Blood Test | Symptoms | Injecting Equipment |
| Cancer | Ask for Help | Monitoring | Family & Friends | Vaccination |
| Prevention | Education | LiverWELL | Doctor | Confidential |
| Support | Liver | Chronic | Blood to Blood | Sex |
| Condoms | Risk | Cure | Safe | Inflammation |



CARD 13 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------|------------------------|--------------|---------------------|-------------------|
| Hepatitis C | Injecting Equipment | Inflammation | Tattooing | Sharing Food |
| Cancer | Doctor | Monitoring | Ask for Help | Vaccination |
| Education | Prevention | LiverWELL | Family & Friends | Confidential |
| Support | Liver | Sex | Chronic | Blood to Blood |
| Condoms | Cure | Hepatitis B | Mother to Baby | LiverLine |



CARD 14 Hepatitis can be prevented!

| В | | N | G | 0 |
|------------------------|-------------------|--------------|------------|--------------|
| Cancer | Hepatitis C | Hepatitis B | Education | Prevention |
| Injecting Equipment | Blood to Blood | Testing | Treatment | Blood Test |
| Doctor | Confidential | LiverWELL | Liver | Risk |
| Cure | Safe | Ask for Help | Support | Monitoring |
| Condoms | Chronic | Vaccination | Toothbrush | Inflammation |



CARD 15 Hepatitis can be prevented!

| В | I | N | G | 0 |
|------------------------|-----------|-------------|---------------------|--------------|
| Alcohol | LiverLine | Support | Confidential | Monitoring |
| Injecting Equipment | Condoms | Hepatitis B | Family & Friends | Vaccination |
| Hepatitis C | Liver | LiverWELL | Ask for Help | Prevention |
| Education | Doctor | Tattooing | Sex | Symptoms |
| Mother to Baby | Risk | Cure | Blood Test | Inflammation |



CARD 16 Hepatitis can be prevented!

| В | I | N | G | 0 |
|--------------|------------|------------------------|-------------------|-----------|
| Cancer | Monitoring | Blood Test | Ask for Help | Kissing |
| Hepatitis C | Cirrhosis | Family & Friends | Vaccination | Testing |
| Stigma | Prevention | LiverWELL | Doctor | Sex |
| Confidential | Condoms | Liver | Blood to Blood | Cure |
| Risk | Alcohol | Injecting Equipment | Mother to Baby | LiverLine |



CARD 17 Hepatitis can be prevented!

| В | | N | G | 0 |
|------------------------|--------------|------------|---------------------|--------------|
| Doctor | Chronic | Stigma | Testing | Cure |
| Confidential | Ask for Help | Symptoms | Hepatitis C | Support |
| Vaccination | Education | LiverWELL | Family & Friends | Monitoring |
| Injecting Equipment | Cancer | Prevention | Blood to Blood | Sex |
| Condoms | Hepatitis B | Cirrhosis | Safe | Sharing Food |



CARD 18 Hepatitis can be prevented!

| В | | N | G | 0 |
|-------------|------------------------|-------------------|--------------|---------------------|
| Sex | Injecting Equipment | Testing | Symptoms | Hepatitis C |
| Cancer | Confidential | Treatment | Ask for Help | Support |
| Vaccination | Prevention | LiverWELL | Cure | Family & Friends |
| Blood Test | Liver | Monitoring | Hepatitis B | Condoms |
| Cirrhosis | Education | Blood to Blood | Safe | Kissing |



CARD 20 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------|--------------|------------------|---------------------|------------------------|
| Testing | Treatment | Stigma | Cure | Injecting Equipment |
| Elimination | Vaccination | Risk | Family & Friends | Support |
| Symptoms | Prevention | LiverWELL | Blood to Blood | Sex |
| Doctor | Condoms | Liver | Hepatitis B | Hepatitis C |
| LiverLine | Confidential | Safe | Ask for Help | Chronic |



CARD 19 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------------|------------------------|-------------|-------------|---------------------|
| Stigma | Injecting Equipment | LiverLine | Cure | Risk |
| Blood to Blood | Monitoring | Alcohol | Vaccination | Cancer |
| Tattooing | Education | LiverWELL | Chronic | Prevention |
| Doctor | Confidential | Liver | Safe | Inflammation |
| Testing | Treatment | Hepatitis C | Hepatitis B | Family & Friends |



CARD 21 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------------|-------------|-------------|---------------------|------------------------|
| Sex | Risk | Condoms | Cirrhosis | Alcohol |
| Cancer | Hepatitis C | Hepatitis B | Cure | Mother to Baby |
| Blood to Blood | Kissing | LiverWELL | Ask for Help | Confidential |
| Monitoring | Support | Vaccination | Family & Friends | Prevention |
| Stigma | LiverLine | Elimination | Education | Injecting Equipment |



CARD 22 Hepatitis can be prevented!

| В | I | N | G | 0 |
|---------------------|------------------------|------------|--------------|-------------|
| Education | Elimination | LiverLine | Stigma | Prevention |
| Family & Friends | Sex | Condoms | Cure | Hepatitis C |
| Hepatitis B | Blood to Blood | LiverWELL | Liver | Kissing |
| Treatment | Confidential | Monitoring | Vaccination | Cirrhosis |
| Ask for Help | Injecting Equipment | Doctor | Inflammation | Testing |



CARD 23 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------|--------------|------------|--------------|---------------------|
| Education | LiverLine | Prevention | Stigma | Family & Friends |
| Support | Confidential | Safe | Chronic | Mother to Baby |
| Hepatitis B | Cancer | LiverWELL | Liver | Condoms |
| Doctor | Cure | Monitoring | Inflammation | Toothbrush |
| Blood Test | Testing | Kissing | Vaccination | Blood to Blood |



CARD 24 Hepatitis can be prevented!

| В | I | N | G | 0 |
|-------------------|-------------|------------------------|-------------|--------------|
| Treatment | Symptoms | Injecting Equipment | Tattooing | Risk |
| Liver | Sex | Cirrhosis | Cancer | Hepatitis B |
| Hepatitis C | Cure | LiverWELL | Kissing | Ask for Help |
| Blood to Blood | Vaccination | Education | Elimination | Stigma |
| Monitoring | Doctor | Confidential | Testing | LiverLine |



CARD 25 Hepatitis can be prevented!

| В | I | N | G | 0 |
|------------------------|-----------|--------------|---------------------|-------------------|
| Treatment | Alcohol | Toothbrush | Risk | Elimination |
| Education | LiverLine | Stigma | Family & Friends | Doctor |
| Blood Test | Chronic | LiverWELL | Sex | Cure |
| Confidential | Liver | Cancer | Kissing | Support |
| Injecting Equipment | Condoms | Ask for Help | Vaccination | Blood to Blood |